Refine Search

Search Results -

Terms	Documents
(username or password) and L113	36

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

Database: EPO Abstracts Database

JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L114		Refine Search
`		
Recall Text 👄	Clear	Interrupt

Search History

DATE: Monday, January 14, 2008 **Purge Queries** Printable Copy Create Case

Set Name Query	<u>Hit</u>	Set Name
side by side	<u>Count</u>	result set
DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = OR		
L114 (username or password) and L113	36	<u>L114</u>
<u>L113</u> snmp and L112	215	<u>L113</u>
(manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request))	219	<u>L112</u>
<u>L111</u> @pd<20030929 and L110	33	<u>L111</u>
L110 ((error or correct\$4 or fail\$3) near (manag\$6 near object))	56	<u>L110</u>
(query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	9	<u>L109</u>
L108 management near (query or request) same ((error or correct\$4 or fail\$3) nea (manag\$6 near object))	r 1	<u>L108</u>
management near (query or request) same ((compar\$4 or test\$3 or determin\$3) near (error or correct\$4 or fail\$3)).	14	<u>L107</u>
<u>L106</u> 6757901.pn.	2	<u>L106</u>

ė			
<u>L105</u>	L103 and L104	48	<u>L105</u>
<u>L104</u>	(determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username)	60315	<u>L104</u>
<u>L103</u>	snmp near (object or mib) and L101	475	<u>L103</u>
<u>L102</u>	varbind and L101	29	<u>L102</u>
<u>L101</u>	L96 or L97 or L98 or L99 or L100	90110	<u>L101</u>
<u>L100</u>	(726/23 726/24 726/25 726/26 726/27).ccls.	3679	<u>L100</u>
<u>L99</u>	(719/311).ccls.	178	<u>L99</u>
<u>L98</u>	(713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls.	8758	<u>L98</u>
<u>L97</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls.	39958	<u>L97</u>
<u>L96</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.	42847	<u>L96</u>
<u>L95</u>	@pd<20030929 and L94	58	<u>L95</u>
<u>L94</u>	(secruity or authenticat\$3) and L92	128	<u>L94</u>
<u>L93</u>	get\$bulk and L92	0	<u>L93</u>
<u>L92</u>	snmp near object and L91		<u>L92</u>
<u>L91</u>	(ssh or tftp or rcp or tacacs or radius)	696148	<u>L91</u>
<u>L90</u>	(ssh or tftp or rcp or snmp or tacacs or radius)	706373	<u>L90</u>
<u>L89</u>	verif\$6 with snmp near object	3	<u>L89</u>
<u>L88</u>	verif\$6 near snmp near object	0	<u>L88</u>
DB=	USPT; PLUR=YES; OP=OR		
<u>L87</u>	'6765900'.pn	1	<u>L87</u>
<u>L86</u>	'6772226'.pn.	1	<u>L86</u>
<u>L85</u>	'6785728'.pn.	1	<u>L85</u>
<u>L84</u>	'6944183'.pn.	1	<u>L84</u>
DB=	PGPB; $PLUR=YES$; $OP=OR$		
<u>L83</u>	'20020099273'.pn.	1	<u>L83</u>
<u>L82</u>	'20030061480'.pn.	1	<u>L82</u>
DB=	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L81</u>	snmp near (request or message) and L80	37	<u>L81</u>
<u>L80</u>	(snmp near (version or v\$1) near (1 or 2 or 3))	81	<u>L80</u>
DB=	USPT; PLUR=YES; OP=OR		
<u>L79</u>	'6539540'.pn.	1	<u>L79</u>
<u>L78</u>	'6539540'.pn.	1	<u>L78</u>
<u>L77</u>	'6631406'.pn.	1	<u>L77</u>
<u>L76</u>	'6631406'.pn	1	<u>L76</u>
<u>L75</u>	'6631406'.pn.	1	<u>L75</u>
<u>L74</u>	'6671722'.pn.	1	<u>L74</u>

DB=	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L73</u>	varbind near request	1	<u>L73</u>
<u>L72</u>	(telnet and ssh and tftp and rcp and snmp and tacacs and radius)	1	<u>L72</u>
<u>L71</u>	snmp adj object and (telnet and ssh and tftp and rcp and snmp and tacacs and radius)	0	<u>L71</u>
<u>L70</u>	snmp adj object and L69	29	<u>L70</u>
<u>L69</u>	((attribute or username or password) near (telnet or ssh or tftp or rcp or snmp or tacacs radius))	391	<u>L69</u>
<u>L68</u>	(authenticate) near (managed adj (object or device) or management adj station)	5	<u>L68</u>
<u>L67</u>	(username and password) with (managed adj (object or device) or management adj station)	18	<u>L67</u>
<u>L66</u>	(username and password) near (managed adj (object or device) or management adj station)	0	<u>L66</u>
DB=	USPT; PLUR=YES; OP=OR		
<u>L65</u>	'5559958'.pn.	1	<u>L65</u>
<u>L64</u>	'5559958'.pn.	1	<u>L64</u>
<u>L63</u>	'5561798'.pn.	1	<u>L63</u>
DB=	FGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L62</u>	(correct or propos\$3) near value with managed adj object	3	<u>L62</u>
<u>L61</u>	propos\$3 near value with managed adj object	1	<u>L61</u>
<u>L60</u>	(security or verif\$6 or password or username) near (managed adj (object or device) or management adj station)	58	<u>L60</u>
<u>L59</u>	((compar\$4 or match\$3 or determin\$3) near (security or verif\$6 or password or username)) with (managed adj (object or device) or management adj station)	18	<u>L59</u>
<u>L58</u>	((compar\$4 or match\$3 or determin\$3) near (error or fail\$3 or fault or problem)) with (managed adj device or management adj station)	7	<u>L58</u>
<u>L57</u>	((managed adj device or management adj station) with (notif\$7 near (message or request)))	21	<u>L57</u>
DB=	TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR		
<u>L56</u>	PUTTU!	1	<u>L56</u>
<u>L55</u>	PUTTV!	46	<u>L55</u>
<u>L54</u>	KOUNDEDE!	1	L54
DB=	=USPT; PLUR=YES; OP=OR		
<u>L53</u>	'5317742'.pn.	1	<u>L53</u>
<u>L52</u>	'5432932'.pn.	. 1	<u>L52</u>
<u>L51</u>	'5434863'.pn.	1	L51
<u>L50</u>	'5491796'.pn.	1	<u>L50</u>
<u>L49</u>	'5497373'.pn.	1	<u>L49</u>
DB=	=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L48</u>	(get\$1next or get\$1bulk) and L46	29	<u>L48</u>
<u>L47</u>	snmp near object and L46	35	<u>L47</u>

<u>L46</u>	((valid\$5 or verif\$6) near (attribute or field or password or username))	13014	<u>L46</u>
<u>L45</u>	get\$1next and get\$1bulk	46	<u>L45</u>
<u>L44</u>	6085237.pn.	2	<u>L44</u>
<u>L43</u>	@pd<20030929 and L42	51	<u>L43</u>
<u>L42</u>	mib and (username or password or security) near (attribute or field or value)	112	<u>L42</u>
<u>L41</u>	@pd<20030929 and L40	87	<u>L41</u>
<u>L40</u>	L38 and L39	159	<u>L40</u>
<u>L39</u>	((determin\$3 or compar\$4 or match\$3) near (attribute or filed or value))	455681	L39
<u>L38</u>	manag\$5 adj object and (username or password or security) near (attribute or field or value)	284	<u>L38</u>
<u>L37</u>	management near request and (attribute or field or value) near (managed adjobject)	32	<u>L37</u>
<u>L36</u>	management near request and (username or password or security) near (managed adj object)	0	<u>L36</u>
<u>L35</u>	managed adj object and L34	6	<u>L35</u>
<u>L34</u>	(determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value)	217	<u>L34</u>
<u>L33</u>	(username or password or security) near (match\$3 or correspond\$3) with managed adj object	17	<u>L33</u>
<u>L32</u>	(username or password or security) near (match\$3 or correspond\$3) with managed adj object	16	<u>L32</u>
<u>L31</u>	(attribute or field or value) near (match\$3 or correspond\$3) with managed adjobject	10	<u>L31</u>
<u>L30</u>	((determin\$3 or compar\$4) near (attribute or filed or value)) with ((match\$3 or correspond\$3) near managed adj object)	0	<u>L30</u>
<u>L29</u>	5737518.pn.	2	<u>L29</u>
<u>L28</u>	57375718.pn.	0	<u>L28</u>
<u>L27</u>	((mib or snmp or managed) near object) near2 (password or credential or username or security)	34	<u>L27</u>
<u>L26</u>	(((mib or snmp or managed) near object) near (value or attribute)) same (password or credential or username or security)	9	<u>L26</u>
<u>L25</u>	(((snmp or get) near (request or message or call)) or getnext or getbulk) and L23	56	<u>L25</u>
<u>L24</u>	((snmp or get) near (request or message or call)) or getnext or getbulk and L23	13236	<u>L24</u>
<u>L23</u>	index with notif\$7	2302	<u>L23</u>
<u>L22</u>	((look\$1up or search\$3 or find\$3 or determin\$5) near (password or credential or username or security)) same ((mib or snmp or managed) near object)	0	<u>L22</u>
<u>L21</u>	((password or credential or username or security) near (((mib or snmp or managed) near object)))	29	<u>L21</u>
<u>L20</u>	((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	3510	<u>L20</u>
<u>L19</u>	@pd<20030929 and L18	24	<u>L19</u>
<u>L18</u>	((SNMP or Get) near Response) same (password or credential or username or security)	113	<u>L18</u>

<u>L17</u>	snmp and L16	45	<u>L17</u>
<u>L16</u>	((SNMP or Get) near Response) same notif\$7	134	<u>L16</u>
<u>L15</u>	L14	36	<u>L15</u>
<u>L14</u>	SNMP near (Get near Response) samenotif\$7	36	<u>L14</u>
<u>L13</u>	SNMP near (Get near Response) with notif\$7	1	<u>L13</u>
<u>L12</u>	snmp and L11	117	<u>L12</u>
<u>L11</u>	@pd<20030929 and L10	227	<u>L11</u>
<u>L10</u>	(((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	756	LIC
<u>L9</u>	(((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	2	<u>L9</u>
<u>L8</u>	@pd<20030929 and L7	61	<u>L8</u>
<u>L7</u>	(((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object))	155	<u>L7</u>
<u>L6</u>	(manag\$6 near information near base or mib near object) same (acl or access adj control adj list)	4	<u>L6</u>
<u>L5</u>	(manag\$6 near information near base or mib near object) same (password or username or user near credential)	31	<u>L5</u>
<u>L4</u>	(manag\$6 near information near base or mib near object) with (password or username or user near credential or security near (data or information))	16	<u>L4</u>
<u>L3</u>	(snmp or mib near object or (get near (message or request))) and L2	74	<u>L3</u>
<u>L2</u>	notif\$7 with index	2302	<u>L2</u>
1.1	20050251569	2	L1

END OF SEARCH HISTORY